

SAFETY DATA SHEET

Mikrobac forte

Version 1.9 Revision Date: 26.02.2018 SDS Number: R11021 Date of last issue: 26.02.2018
Date of first issue: 28.05.2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Mikrobac forte

Product code : R11021

Manufacturer or supplier's details

Manufacturer : BODE Chemie GmbH
Melanchthonstraße 27
22525 Hamburg
Tel.: +49 (0)40 / 54 00 60

Supplier :

Responsible Department : Scientific Affairs
KundenService-SiDa@bode-chemie.de

Emergency telephone number : Giftnotruf Göttingen
24h-Phone +49 (0)551 / 1 92 40

Recommended use of the chemical and restrictions on use

Recommended use : In-door use
Disinfectants and algacides not intended for direct application to humans or animals
Food and feed area disinfectants
For further information, refer to the product technical data sheet.

Restrictions on use : Restricted to professional users.

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Sub-category 1B

Acute aquatic toxicity : Category 1

Chronic aquatic toxicity : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face

Mikrobac forte

protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture
Substance name : Mikrobac forte

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Benzyl-C12-18-alkyldimethylammonium chlorides	68391-01-5	>= 10 - < 20
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2372-82-9	>= 1 - < 10
Tridecanol, branched, ethoxylated	69011-36-5	>= 1 - < 10
Alcohols, C12-14. ethoxylated	68439-50-9	>= 1 - < 10

4. FIRST AID MEASURES

General advice : Call a physician immediately.

If inhaled : If breathed in, move person into fresh air.

In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off immediately with plenty of water.
Cover wound with sterile dressing.
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.

In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed : Rinse mouth.
Give small amounts of water to drink.
Do NOT induce vomiting.
Obtain medical attention.

Most important symptoms and effects, both acute and delayed : None known.

Notes to physician : For specialist advice physicians should contact the Poisons Information Service.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray jet
Dry powder
Carbon dioxide (CO₂)

SAFETY DATA SHEET

Mikrobac forte

Foam

- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Standard procedure for chemical fires.
- Special protective equipment for firefighters : Use personal protective equipment.
In the event of fire, wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

- Environmental precautions : Should not be released into the environment.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

7. HANDLING AND STORAGE

- Advice on safe handling : Prepare the working solution as given on the label(s) and/or the user instructions.
- Conditions for safe storage : Store at room temperature in the original container.
- Materials to avoid : Keep away from food and drink.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

In case of full contact: Nitrile rubber

- Material : Protective gloves complying with EN 374.
- Break through time : > 480 min
- Glove thickness : 0,1 mm
- Protective index : Class 6
: peha-soft nitrile guard

- Remarks : In case of full contact: Nitrile rubber
- Eye protection : Tightly fitting safety goggles
- Skin and body protection : Impervious clothing
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
Avoid contact with the skin and the eyes.
Ensure adequate ventilation, especially in confined areas.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : light yellow
- Odour : sweet

SAFETY DATA SHEET

Mikrobac forte

pH	:	8 - 9 (20 °C)
Melting point/range	:	not determined
Boiling point/boiling range	:	> 95 °C
Flash point	:	Not applicable
Vapour pressure	:	not determined
Density	:	1,01 g/cm ³ (20 °C)
Solubility(ies)	:	
Water solubility	:	completely miscible
Viscosity	:	
Viscosity, dynamic	:	60 mPa.s (23 °C)

10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reactions	:	None reasonably foreseeable.
Conditions to avoid	:	Heat Strong sunlight for prolonged periods.
Incompatible materials	:	aldehydes Anionic surfactants

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity	:	Acute toxicity estimate: 1.299 mg/kg Method: Calculation method
		Acute toxicity estimate: 1.287 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method

Components:

Benzyl-C12-18-alkyldimethylammonium chlorides (CAS: 68391-01-5):

Acute oral toxicity	:	LD50 (Rat): 344 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): 3.340 mg/kg

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (CAS: 2372-82-9):

Acute oral toxicity	:	LD50 Oral (Rat): 261 mg/kg Method: OECD Test Guideline 401
---------------------	---	---

Mikrobac forte**Tridecanol, branched, ethoxylated** (CAS: 69011-36-5):

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg
Method: Expert judgement

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg
Method: Expert judgement

Alcohols, C12-14. ethoxylated (CAS: 68439-50-9):

Acute oral toxicity : LD50 Oral (Rat): 2.000 mg/kg

Skin corrosion/irritation**Components:**

Benzyl-C12-18-alkyldimethylammonium chlorides (CAS: 68391-01-5):

Species: Rabbit

Result: Corrosive after 3 minutes to 1 hour of exposure

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (CAS: 2372-82-9):

Species: Rabbit

Exposure time: 3 min

Method: OECD Test Guideline 404

Result: Corrosive after 3 minutes or less of exposure

Tridecanol, branched, ethoxylated (CAS: 69011-36-5):

Species: Rabbit

Result: No skin irritation

Alcohols, C12-14. ethoxylated (CAS: 68439-50-9):

Result: Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation**Components:**

Benzyl-C12-18-alkyldimethylammonium chlorides (CAS: 68391-01-5):

Species: Rabbit

Result: Corrosive

Tridecanol, branched, ethoxylated (CAS: 69011-36-5):

Species: Rabbit

Method: OECD Test Guideline 437

Result: Risk of serious damage to eyes.

Alcohols, C12-14. ethoxylated (CAS: 68439-50-9):

Result: Irreversible effects on the eye

Respiratory or skin sensitisation**Product:**

Result: Does not cause skin sensitisation.

Components:

Benzyl-C12-18-alkyldimethylammonium chlorides (CAS: 68391-01-5):

Test Type: Maximisation Test

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Did not cause sensitisation on laboratory animals.

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (CAS: 2372-82-9):

Mikrobac forte

Test Type: Buehler Test
Species: Guinea pig
Method: OECD Test Guideline 406
Result: Did not cause sensitisation on laboratory animals.

Tridecanol, branched, ethoxylated (CAS: 69011-36-5):
Test Type: Maximisation Test
Species: Guinea pig
Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Components:

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (CAS: 2372-82-9):
Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

Components:

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (CAS: 2372-82-9):
Assessment: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (CAS: 2372-82-9):
Species: Rat
NOAEL: 8 mg/kg
Application Route: Oral
Exposure time: 90 d

Species: Dog
NOAEL: 18 mg/kg
Application Route: Oral
Exposure time: 90 d

Species: Rat
NOAEL: 14 mg/kg
Application Route: Dermal
Exposure time: 90 d

Aspiration toxicity

No data available

Experience with human exposure

No data available

SAFETY DATA SHEET

Mikrobac forte

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

- Toxicity to fish : LC50 (*Leuciscus idus* (Golden orfe)): 2,5 mg/l
Method: OECD Test Guideline 203
- Toxicity to microorganisms : EC10 (*Pseudomonas putida*): 9,8 mg/l

Components:

Benzyl-C12-18-alkyldimethylammonium chlorides (CAS: 68391-01-5):

- Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 0,28 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0,016 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae : EC50 (*Pseudokirchneriella subcapitata* (microalgae)): 0,049 mg/l
Exposure time: 72 h
Test Type: Cell multiplication inhibition test
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to fish (Chronic toxicity) : NOEC: 0,032 mg/l
Exposure time: 34 d
Species: *Leuciscus idus* (Golden orfe)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,0042 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)
- M-Factor (Chronic aquatic toxicity) : 1

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (CAS: 2372-82-9):

- Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 0,68 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0,073 mg/l
Exposure time: 48 h
Test Type: Immobilization
- Toxicity to algae : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): 0,054 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to microorganisms : (Bacteria): 16 mg/l
Exposure time: 3 h

SAFETY DATA SHEET

Mikrobac forte

Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,024 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

Tridecanol, branched, ethoxylated (CAS: 69011-36-5):

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 1 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : IC50 (Pseudomonas putida): > 1.000 mg/l
Exposure time: 16 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 1 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

Alcohols, C12-14. ethoxylated (CAS: 68439-50-9):

Toxicity to fish : LC50 (Fish): > 1 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 mg/l
Exposure time: 48 h

Toxicity to algae : IC50 (Scenedesmus capricornutum (fresh water algae)): > 1 mg/l
Exposure time: 72 h

NOEC (Scenedesmus capricornutum (fresh water algae)): 0,14 mg/l

M-Factor (Chronic aquatic toxicity) : 1

Persistence and degradability

Product:

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Bioaccumulative potential

No data available

Mobility in soil

No data available

SAFETY DATA SHEET

Mikrobac forte

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : Dispose of as hazardous waste in compliance with local and national regulations.
The product should not be allowed to enter drains, water courses or the soil.
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
- Contaminated packaging : Empty remaining contents.
Clean container with water.
Offer rinsed packaging material to local recycling facilities.

14. TRANSPORT INFORMATION

14.1 UN number

- ADR : UN 1903
IMDG : UN 1903
IATA : UN 1903

14.2 UN proper shipping name

- ADR : DISINFECTANT, LIQUID, CORROSIVE, N.O.S.
(BENZODODECINIUM CHLORIDE, N-(3-AMINOPROPYL)-N-DODECYLPROPANE-1,3-DIAMINE)
- IMDG : DISINFECTANT, LIQUID, CORROSIVE, N.O.S.
(benzododecinium chloride, N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine)
- IATA : DISINFECTANT, LIQUID, CORROSIVE, N.O.S.
(benzododecinium chloride, N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine)

14.3 Transport hazard class(es)

- ADR : 8
IMDG : 8
IATA : 8

14.4 Packing group

- ADR**
Packing group : III
Classification Code : C9
Hazard Identification Number : 80
Labels : 8
Tunnel restriction code : E
- IMDG**
Packing group : III
Labels : 8
EmS Code : F-A, S-B
- IATA (Cargo)**
Packing instruction (cargo aircraft) : 856
Packing group : III
Labels : Class 8 - Corrosive

SAFETY DATA SHEET

Mikrobac forte

IATA (Passenger)

Packing instruction (passenger aircraft) : 852
Packing group : III
Labels : Class 8 - Corrosive

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

16. OTHER INFORMATION

Full text of other abbreviations


AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

SAFETY DATA SHEET

Mikrobac forte

Further information

NFPA:



HMIS® IV:

HEALTH		2
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Safety datasheet sections which have been updated:

10. Stability and reactivity

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TC / EN