

# SAFETY DATA SHEET

## Sokrena

Version 1.3      Revision Date: 25.04.2017      SDS Number: R11166      Date of last issue: 26.10.2016  
Date of first issue: 01.07.2014

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sokrena

#### Manufacturer or supplier's details

Manufacturer : BODE Chemie GmbH  
Melanchthonstraße 27  
22525 Hamburg  
Tel.: +49 (0)40 / 54 00 60

Supplier :

Responsible Department : Scientific Affairs  
KundenService-SiDa@bode-chemie.de

Emergency telephone number : Giftnotruf Göttingen  
24h-Phone +49 (0)551 / 1 92 40

#### Recommended use of the chemical and restrictions on use

Recommended use : In-door use  
Disinfectants and general biocidal products  
For further information, refer to the product technical data sheet.

Restrictions on use : Restricted to professional users.

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 3

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Chronic aquatic toxicity : Category 3

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ eye protection/ face protection.

**Response:**

# SAFETY DATA SHEET

## Sokrena

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

### Other hazards which do not result in classification

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Didecyldimethylammonium chloride	7173-51-5	>= 1 - < 10
Propan-2-ol	67-63-0	>= 1 - < 10
Alcohols, C12-14. ethoxylated	68439-50-9	>= 1 - < 10
tetrasodium ethylene diamine tetraacetate	64-02-8	>= 1 - < 10

### 4. FIRST AID MEASURES

General advice : Consult a physician.

If inhaled : If breathed in, move person into fresh air.

In case of skin contact : Take off all contaminated clothing immediately. Wash off with soap and water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

If swallowed : Rinse mouth. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed : None known.

Notes to physician : For specialist advice physicians should contact the Poisons Information Service.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : none

Hazardous combustion products : No hazardous combustion products are known

Specific extinguishing methods : Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : Use personal protective equipment. In the event of fire, wear self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

# SAFETY DATA SHEET

## Sokrena

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.
- Environmental precautions : Should not be released into the environment.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Keep away from sources of ignition - No smoking.
- Advice on safe handling : Prepare the working solution as given on the label(s) and/or the user instructions.
- Conditions for safe storage : Store at room temperature in the original container.  
Keep tightly closed.
- Materials to avoid : Keep away from food and drink.  
Do not store near acids.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of workweek	40 mg/l	ACGIH BEI

#### Personal protective equipment

##### Hand protection

In case of full contact: Nitrile rubber

- Material : Protective gloves complying with EN 374.  
Break through time : > 480 min  
Glove thickness : 0,1 mm  
Protective index : Class 6  
: peha-soft nitrile guard

Eye protection : Tightly fitting safety goggles

Skin and body protection : Lightweight protective clothing

Protective measures : Ensure that eye flushing systems and safety showers are located close to the working place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
Avoid contact with the skin and the eyes.  
Keep away from food and drink.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	liquid
Colour	:	colourless
Odour	:	characteristic
pH	:	12,5 (20 °C)
Melting point/range	:	not determined
Boiling point/boiling range	:	not determined
Flash point	:	37 °C Method: DIN 51755 Part 1
Flammability (solid, gas)	:	not auto-flammable
Vapour pressure	:	No data available
Density	:	1,0 g/cm <sup>3</sup> (20 °C)
Solubility(ies)	:	
Water solubility	:	completely miscible
Viscosity	:	
Viscosity, dynamic	:	35 mPa.s (23 °C)

---

**10. STABILITY AND REACTIVITY**

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reactions	:	None reasonably foreseeable.
Conditions to avoid	:	Heat Strong sunlight for prolonged periods.
Incompatible materials	:	Acids

---

**11. TOXICOLOGICAL INFORMATION****Acute toxicity****Product:**

Acute oral toxicity : LD50 Oral(Rat): 4.650 mg/kg

**Components:****Didecyldimethylammonium chloride (CAS: 7173-51-5):**

Acute oral toxicity : LD50 Oral (Rat): 238 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 Dermal (Rabbit): 3.342 mg/kg

**Propan-2-ol (CAS: 67-63-0):**

Acute oral toxicity : LD50 Oral (Rat): > 2.000 mg/kg

# SAFETY DATA SHEET

## Sokrena

Acute inhalation toxicity : LC50 (Rat): > 20 mg/l  
Exposure time: 8 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg

**Alcohols, C12-14. ethoxylated (CAS: 68439-50-9):**

Acute oral toxicity : LD50 Oral (Rat): 2.000 mg/kg

### Skin corrosion/irritation

**Product:**

Result: irritating

**Components:**

**Didecyldimethylammonium chloride (CAS: 7173-51-5):**

Species: Rabbit  
Exposure time: 3 min  
Method: OECD Test Guideline 404  
Result: Corrosive after 3 minutes or less of exposure

**Propan-2-ol (CAS: 67-63-0):**

Species: Rabbit  
Result: No skin irritation

**Alcohols, C12-14. ethoxylated (CAS: 68439-50-9):**

Result: Repeated exposure may cause skin dryness or cracking.

**tetrasodium ethylene diamine tetraacetate (CAS: 64-02-8):**

Species: Rabbit  
Result: No skin irritation

### Serious eye damage/eye irritation

**Product:**

Result: Risk of serious damage to eyes.

**Components:**

**Propan-2-ol (CAS: 67-63-0):**

Species: Rabbit  
Result: Eye irritation

**Alcohols, C12-14. ethoxylated (CAS: 68439-50-9):**

Result: Irreversible effects on the eye

**tetrasodium ethylene diamine tetraacetate (CAS: 64-02-8):**

Species: Rabbit  
Result: Irreversible effects on the eye

### Respiratory or skin sensitisation

**Product:**

Result: Does not cause skin sensitisation.

**Components:**

**Propan-2-ol (CAS: 67-63-0):**

Test Type: Buehler Test  
Species: Guinea pig  
Result: Did not cause sensitisation on laboratory animals.

# SAFETY DATA SHEET

## Sokrena

### **tetrasodium ethylene diamine tetraacetate (CAS: 64-02-8):**

Test Type: Maximisation Test  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Does not cause skin sensitisation.

### **Germ cell mutagenicity**

#### **Components:**

#### **Propan-2-ol (CAS: 67-63-0):**

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Result: negative

### **Carcinogenicity**

No data available

### **Reproductive toxicity**

No data available

### **STOT - single exposure**

No data available

### **STOT - repeated exposure**

#### **Components:**

#### **tetrasodium ethylene diamine tetraacetate (CAS: 64-02-8):**

Assessment: May cause damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

No data available

### **Aspiration toxicity**

No data available

### **Experience with human exposure**

No data available

### **Toxicology, Metabolism, Distribution**

No data available

### **Neurological effects**

No data available

---

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### **Product:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 6,8 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

#### **Components:**

#### **Didecyldimethylammonium chloride (CAS: 7173-51-5):**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0,97 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

## Sokrena

	Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0,057 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae	: ErC50 ( Pseudokirchneriella subcapitata (green algae)): 0,053 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 10
Toxicity to fish (Chronic toxicity)	: NOEC: 0,032 mg/l Exposure time: 34 d Species: Leuciscus idus (Golden orfe) Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0,014 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	: 1
<b>Propan-2-ol (CAS: 67-63-0):</b>	
Toxicity to fish	: LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 ( Scenedesmus capricornutum (fresh water algae)): > 100 mg/l Exposure time: 72 h
<b>Alcohols, C12-14. ethoxylated (CAS: 68439-50-9):</b>	
Toxicity to fish	: LC50 (Fish): > 1 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 48 h
Toxicity to algae	: IC50 ( Scenedesmus capricornutum (fresh water algae)): > 1 mg/l Exposure time: 72 h
	NOEC ( Scenedesmus capricornutum (fresh water algae)): 0,14 mg/l
M-Factor (Chronic aquatic toxicity)	: 1
<b>tetrasodium ethylene diamine tetraacetate (CAS: 64-02-8):</b>	
Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 ( Scenedesmus capricornutum (fresh water algae)): > 100 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC: 36,9 mg/l Exposure time: 35 d Species: Leuciscus idus (Golden orfe) Method: OECD Test Guideline 210

# SAFETY DATA SHEET

## Sokrena

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 25 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### Persistence and degradability

#### Product:

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### Bioaccumulative potential

#### Components:

##### **tetrasodium ethylene diamine tetraacetate (CAS: 64-02-8):**

Partition coefficient: n-octanol/water : log Pow: -13

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of as hazardous waste in compliance with local and national regulations.  
The product should not be allowed to enter drains, water courses or the soil.  
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Contaminated packaging : Clean container with water.  
Empty remaining contents.  
Offer rinsed packaging material to local recycling facilities.

---

## 14. TRANSPORT INFORMATION

### 14.1 UN number

ADR : UN 1993  
IMDG : UN 1993  
IATA : UN 1993

### 14.2 UN proper shipping name

ADR : FLAMMABLE LIQUID, N.O.S.  
(ISOPROPANOL, DIDECYLDIMETHYLAMMONIUM CHLORIDE)  
IMDG : FLAMMABLE LIQUID, N.O.S.  
(isopropanol, didecyldimethylammonium chloride)  
IATA : FLAMMABLE LIQUID, N.O.S.  
(isopropanol, didecyldimethylammonium chloride)



# SAFETY DATA SHEET

## Sokrena

### 14.3 Transport hazard class(es)

ADR	:	3
IMDG	:	3
IATA	:	3

### 14.4 Packing group

<b>ADR</b>		
Packing group	:	III
Classification Code	:	F1
Hazard Identification Number	:	30
Labels	:	3
Tunnel restriction code	:	D/E

<b>IMDG</b>		
Packing group	:	III
Labels	:	3
EmS Code	:	F-E, S-E

<b>IATA (Cargo)</b>		
Packing instruction (cargo aircraft)	:	366
Packing group	:	III
Labels	:	Class 3 - Flammable Liquid

<b>IATA (Passenger)</b>		
Packing instruction (passenger aircraft)	:	355
Packing group	:	III
Labels	:	Class 3 - Flammable Liquid

### 14.5 Environmental hazards

<b>ADR</b>		
Environmentally hazardous	:	yes

<b>IMDG</b>		
Marine pollutant	:	yes

### 14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

---

## 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**International Regulations**

---

## 16. OTHER INFORMATION

### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Ex-


# SAFETY DATA SHEET

## Sokrena

isting Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Further information

#### NFPA:



#### HMIS® IV:

HEALTH	*	2
FLAMMABILITY		3
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks.

### Safety datasheet sections which have been updated:

#### 16. Other information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TC / EN